


Other Services

We provide consultations and treatment for:

- Smile Makeovers
- Periodontitis (gum disease)
- Gum Recession & Bone Loss
- Dental Implants (single or multiple)
- Laser procedures
- Implant Complications

Office hours

MONDAY	10AM—7PM
TUESDAY	9AM—6PM
WEDNESDAY	10AM—7PM
THURSDAY	10AM—4PM
FRIDAY	8AM—4PM



DR. STUART J. FROUM

- ◆ PERIODONTIST - IMPLANT SPECIALIST
- ◆ DIPLOMATE OF THE AMERICAN BOARD OF PERIODONTOLOGY
- ◆ DIPLOMATE OF THE INTERNATIONAL CONGRESS OF ORAL IMPLANTOLOGY PERIODONTICS & IMPLANT DENTISTRY
- ◆ CLINICAL PROFESSOR AND DIRECTOR OF CLINICAL RESEARCH DEPARTMENT OF PERIODONTOLOGY & IMPLANT DENTISTRY AT NEW YORK UNIVERSITY COLLEGE OF DENTISTRY

Hygiene Department

DR. ALICE CHUNG
HANA FROUM, RDH

The Rockefeller Apartments
17 West 54th St, ste 1c/d
New York, NY 10019

Phone: 212-586-4209
Fax: 212-246-7599
E-mail: dr.froum@verizon.net

Perio Patch® - Patient Instructions



SJF Stuart J. Froum DDS
DIPLOMATE AMERICAN BOARD
OF PERIODONTOLOGY

Periodontics & Implant Dentistry
Www.drstuartfroum.com

www.drstuartfroum.com

Anti-inflammatory therapy

PerioPatch® is a topical patch designed to relieve the signs and symptoms of inflammation caused by gingivitis and periodontitis. PerioPatch contains 3 optimized botanical extracts (Centella asiatica, Echinacea purpurea and Sambucus nigra) and has been clinically proven to rapidly reduce pain and inflammation while promoting the natural healing process resulting in pocket reduction and gains in clinical attachment of the gums to the tooth. **We will apply the first patch; you will apply the remaining five patches at home during the next 3 day (after breakfast and after dinner).** The patch is applied over the inflamed or receded area on the gum and its unique, proprietary bilayer film protects the tissue while absorbing the inflammatory exudates in the tissue and in the gingival crevicular fluid (GCF) that would otherwise perpetuate the inflamed state. The patch remains in place for 15 to 60 minutes. **You should not eat or drink during this time.** Remove after an hour if patch has not fallen off. If you swallow the patch it is not harmful to your health. Reduces Inflammation and enhances gingival healing and re-connection of the gums to the tooth.

- ◆ Reduces periodontal pockets
- ◆ Increases clinical attachment level
- ◆ Reduces inflammation
- ◆ Reduces bleeding
- ◆ Aids in preventing gum recession

1



Open foil pouch and remove patch on plastic backing.

4



Slightly dry the affected area with gauze or swallow excess saliva. Area can be slightly moist.

2



Bend plastic (do not pick at edge of patch) and PerioPatch will release.

5



Place PerioPatch where the teeth meet gums (will cover affected area). Apply light pressure for a few seconds to adhere.

3



Remove patch with dry fingers. Adhesive side is the side facing the plastic backing.

6



PerioPatch will stay in place for 15-60 minutes and will automatically loosen when the treatment is complete and can be removed. A slight film may be left in area until it dissolves. Use twice a day for 3 days.